

FIG. 1




Fig. 2




FIG. 3




FIG. 4

ID	Return	Pr dicat	Mn m nic.	Family	Description
A	b	A(z)	Ascii	Test	Test literal string
B	b	B(m)	Bitmask	Test	Test using bitmask
C	V	C()	Case	Decision	Branch using multiple cases
D	V	D(label)	Do	Iteration	Start Loop (ends on lable)
E	V	E(f, b, b...)	Each	Iteration	Repeat function with each byte in list
F	V	F(n, f)	For	Iteration	Repeat function on n buffer bytes
G	V	G (label)	Goto	Decision	Goto label in sig
H	B	H(d)	Heuristic	Test	Test d against heuristic flags
I	V	I(f, l)	If	Decision	If test f branch else continue
J	V	J(size)	Jump	Pointer	Jump using buffer value of size
K	B	K(reserved)	Keyword	Function	Process keyword
L	B	L(b)	Literal	Test	Test literal
M	V	M(name)	Macro	Function	Execute macro NAME
N	B	N(logic)	Near	Test	Test using relative logic
O	B	O(n, method)	Order	Test	Order (sort) n buffer bytes using method
P	V	P(name)	Process/Procedure	Function	Execute process name
Q	B	Q(logic)	Query	Test	Test using ranged logic
R	V	R(p)	Rewind	Pointer	Reset buffer stream pointer
S	B	S (n, k)	Seek	Pointer	Reposition buffer stream pointer
T	B	T(logic)	Test	Test	Test using positional logic
U	b	U(z)	Uppercase	Test	Test after uppercasing buffer string
V	b	V(logic)	Variable	Test	Test using set summation
W	b	W(c)	Wildcard	Test	Simply (one byte) wildcards
X	b	X(b)	Xray/Xor	Test	Test using xor mask based on b

FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9